

Colorex

Nordic quality since 1955

PRODUCT LISTING



Colorex is a high-quality paint and wood care brand specially developed and tested for Nordic conditions. All products are made in Sweden and you can find Colorex products at your specialist paint dealer.

Welcome to Colorex – Nordic quality since 1955.

The Colorex brand is part of Hagmans Nordic AB



Colorex is part of Hagmans Nordic AB with headquarters in Fritsla outside Borås. All products are continuously developed and tested in our modern laboratory together with experts and end users.

Hagmans Nordic AB is environmentally and quality certified according to ISO 9001 and 14001.

CONTENT

INTERIOR

Pro - for professionals	5
Wall paint	6
Ceiling paint	7
Panel laquer	7
Lacquer paint	8
Enamel base coat/Primer	9
Floor paint	10
Wall- & ceiling filler	10
Roll- & woodfiller/adhesive	11

EXTERIOR

Facade paint - wood/masonry	13-14
Door- & window paint	14
Priming oil & undercoatsealer wood	15-16
Primer iron/metal	17

WOOD CARE

Woodoil	18
Woodstain	19

OTHER

Brushes	20
Rollers, roller hangers and Color trays	20
Tools	21
Pipe sticks & canopener	21
Wallpaper - Wallcovering	21
Masking	21
Empty packaging	21
Colorants	22

Application tools



BRUSH



ROLLER



SPRAY
PAINTING



SPRAY
GUN



PASTE
MACHINE



CAULKING
GUN



FILLING
KNIFES



FILLING
KNIFES



WATERBORNE



SOLVENT BASED

A professional painter's leg and foot are visible on the right side of the image. The painter is wearing white shorts with a black patch on the knee and a black and orange sneaker. A white bucket of Colorex Vagans PRO+ 4 paint is in the foreground. A blue-handled roller is stuck in the bucket. The background is a plain white wall.

Pro - for professionals

PROJECTS FOR PROFESSIONALS

The Pro series is carefully designed and tested in collaboration with professional painters.

- Pro + – our odorless range of products.
- Products with excellent coverage.
- High washability after treatment.

WALL PAINT

Vagans Pro+ 4 - wall paint

Vagans Pro+ 4 is a pro adapted waterborne acrylic paint with a high opacity, whiteness and non-existent odor and emission to the environment in connection with drying. It is primarily designed for interior painting of walls and ceiling on concrete, plaster, fibre boards, wallpaper or previously painted surfaces. It can also be used as primer on highly absorbent substrates. *Fully matte, 4.*



- Non-existent odor
- Fully matte
- High dry content, whiteness and opacity
- High washability



Art. no	Description	EAN	Amount/pack
10400318	White/Base A 2,7L	7392137104052	1
10404001	White/Base A 9,0L	7331388040412	1
10493312	Base C 2,7L	7392137104946	1
10493012	Base C 9,0L	7392137104939	1
10402007	S0500N 9,0L	7331388194993	1

Vagans Pro+ 7 - wall paint

Vagans Pro+ 7 is a pro adapted waterborne acrylic paint with a high opacity, whiteness and non-existent odor and emission to the environment in connection with drying. It is primarily designed for interior painting of walls and ceiling on concrete, plaster, fibre boards, wallpaper or previously painted surfaces. It can also be used as primer on highly absorbent substrates. *Matte, 7*



- Non-existent odor
- Matte
- High dry content, whiteness and opacity
- High washability



Art. no	Description	EAN	Amount/pack
10700317	White/Base A 2,7L	7392137107039	1
10407001	White/Base A 9L	7331388040719	1
10793313	Base C 2,7L	7392137107930	1
10793013	Base C 9,0L	7331388107931	1
10702003	S0500N 9,0L	7331388194986	1

WALL PAINT

Vagans Pro 20 - wall paint

Acrylic paint with high coverage and whiteness. It is mainly aimed for indoor usage on surfaces from concrete, plaster, gypsum board, fiber board, wallpaper or earlier painted surfaces. The high washability, scratchresistance and durability makes it to an excellent choice for public areas, kitchen, hall etc. *Semi matt, gloss 20.*



- Beautiful, semi matt surface
- High washability
- Dirt- and water repellent
- Suitable in wet areas



Art. no	Description	EAN	Amount/pack
12000309	White/Base A 2,7L	7331388003097	1
12000002	White/Base A 9L	7331388200007	1

WALL- & CEILING PAINT

Multimatt Pro - wall & ceiling paint

Acrylic paint for walls and ceilings indoors. The partly lower washability makes it suitable for areas with low wear and tear. Use it on surfaces from concrete, plaster, gypsum board, fiber board, wallpaper or earlier painted surfaces. The ready surface is diffusion open and achieves full coverage first when it is completely dry. *Full matt, gloss 1.*



- Full matt
- Good coverage
- Diffusion open and suitable in basements



Art. no	Description	EAN	Amount/pack
10100001	White 10L	7331388010002	1

CEILING PAINT

Eminent Pro 2RF - ceiling paint

Ceiling paint with no light reflection, very high whiteness and extremely good coverage. The best choice for treatment of ceilings made from concrete, plaster, gypsum board, or earlier painted surfaces. *Full matt, gloss 2.*



- Full matt
- No light reflection
- High whiteness and coverage



Art. no	Description	EAN	Amount/pack
10201310	White 3L	7331388020179	1
10201001	White 10L	7331388020100	1

UNDERCOAT PAINT

Pro Grund - Grunning primer

Undercoat paint for indoor use on strongly absorbing substrate, like concrete, plaster, gypsum board, glass fiber weave or wallpaper. It equalizes uneven absorption from different substrates and make it easier to achieve an even end result.



- Full matt
- High resin amount
- Excellent adhesion



Art. no	Description	EAN	Amount/pack
10200301	White 3L	7331388020032	1
10200001	White 10L	7331388020001	1

WALL PAINT

Älva - wall paint

Elegant, premium indoor wall paint. Älva leaves a fully matt and velvet smooth surface. Easy to apply with an even result and high coverage. The ready surface has an seldom seen scratch resistance and washability. It will keep a beautiful surface that can handle daily wear without aging. Paint on gypsum board, glass textile, wallpaper or earlier painted surfaces. *Fully matt, gloss 3.*



- Extremely scratch resistant
- Fully matt surface
- High coverage
- High washability



Art. no	Description	EAN	Amount/pack
10500103	White/Base A 0,9L	7331388050015	5
10500302	White/Base A 2,7L	7331388050039	1
10500004	White/Base A 9,0L	7331388050008	1
10593103	Base C 0,9L	7331388059315	5
10593302	Base C 2,7L	7331388059339	1
10593002	Base C 9,0L	7331388059308	1

The highest coverage, the most beautiful surface finish and the best scratch resistance.



WALL PAINT

Vagans 7 - wall paint

Water borne acrylic paint for finish painting of walls and ceilings indoor. Use it on concrete, plaster, gypsum board, fiber board, wall-paper or earlier painted surfaces. Creates a warm and matt finish. It has good coverage and the high washability and scratch resistance makes it suitable for most areas in home surroundings. *Matt, gloss 7.*



- Matt and sober finish
- Scratchresistant and dirt repellent
- Easy to apply
- Washable



Art. no	Description	EAN	Amount/pack
10600103	White/Base A 0,9L	7331388060014	5
10600301	White/Base A 2,7L	7331388060038	1
10600011	White/Base A 9,0L	7331388060007	1
10693102	Base C 0,9L	7331388069314	5
10693301	Base C 2,7L	7331388069338	1
10693002	Base C 9,0L	7331388069307	1

Vagans 25 - wall paint

Waterborne acrylic paint for finish painting of walls and ceilings in rooms with heavy wear and tear indoor. E.g. kitchen, hall, bathroom and public areas. The paint has a very durable, repellent finish with very high washability. Paint on concrete, plaster, gypsum board, fibre board, wallpaper or earlier painted surfaces. Also suitable in wet room areas where there is no direct contact with running water. *Semi matt, gloss 25.*



- Semi matt
- High coverage
- Very scratch resistant
- Moisture repellent and washable



Art. no	Description	EAN	Amount/pack
12500101	White/Base A 0,9L	7331388250019	5
12500301	White/Base A 2,7L	7331388250033	1
12500001	White/Base A 9L	7331388250002	1
12593101	Base C 0,9L	7331388259319	5
12593301	Base C 2,7L	7331388259333	1
12593001	Base C 9L	7331388259302	1
12502301	0502-Y 3L	7315070250136	1

WAL PAINT

Stall Paint - Plaster, concrete and wood paint

A waterborne, fully matte paint for painting on plaster, concrete and wood in animal stalls, cold storages and industrial premises. Also works well on finely and coarsely sawn timber. *Fully matte, 3*



- Fully matte
- Anti-mould protection

Art. no	Description	EAN	Amount/pack
19201001	White 10L	7331388920103	1

SLATE PAINT

Mästar Slate paint

Black waterborne acrylic paint used to create your own chalkboard. Paint on concrete, gypsum board, industrial painted surfaces (i.e. kitchen-flaps, doors etc.). The paint has high coverage, filling capability and leaves a soft, even surface. School chalk is easily removed. *Full matt, gloss 4.*



- Make your own chalk board
- Easy to erase the chalk



Art. no	Description	EAN	Amount/pack
10499802	Black 0,3L	7331388049989	5

CEILING PAINT

Eminent 2 - ceiling paint

Fully matt paint mainly for indoor ceilings but also for walls with lower demands. Use it on concrete, plaster, gypsum- or fiber-board, wallpaper or earlier painted surfaces. *Fully matt, gloss 2.*



- Good coverage
- Fully matt
- Easy to apply
- Wipeable



Art. no	Description	EAN	Amount/pack
10300102	White 1L	7331388030017	5
10300301	White 3L	7331388030031	1
10300005	White 10L	7331388030000	1

Tips for ceiling painting:

- Start at light entry and paint your way into the room. Re-pull the rollers in the same direction to minimize the risk of streaks.
- Use a brush or corner roller to get nice finishes.
- Use masking tape to protect adjacent surfaces. Remove the tape immediately after painting before the paint dries.
- Paint the ceiling surface closest to the wall with a brush. It can be difficult to reach right into the angle with the roller.
- With a few turns of masking tape around the lower part of the brush handle, you prevent paint from dripping onto your hands when you paint above your head.
- Paint in daylight.

CEILING AND WALL - BARRIER PAINT

Blocka - Barrier paint

Full matt uretan-alkyd-based insulation paint with high washability for restoration of fire- and soot-damaged surfaces, nicotine- and water-damaged or other types of "bleeding" polluted surfaces indoor. It also reduces the risk for tannin-bleeding from old wood-panel. The perfect choice when repainting old glue- or limepaint treated surfaces. Contains the almost odorless solvent isoparaffin. *Full matt, gloss 2.*



- Insulate almost everything
- Wipeable
- Full matt ready surface



Art. no	Description	EAN	Amount/pack
17900102	White 1L	7331388790010	5
17900303	White 3L	7331388790034	1
17900001	White 10L	7331388790003	1

PANEL LACQUER

Galant - Panel Lacquer

Semi matt clear lacquer for indoor use on wood panels, carpentries, trims, furniture etc. Suitable both as undercoat and finish coat, and can also be used on earlier lacquered surfaces. It can also be tinted in any stain colour. *Semi matt, gloss 15.*



- For a natural look on panel
- Possible to tint



Art. no	Description	EAN	Amount/pack
11590101	0,9L	7331388159015	5
11590301	2,7L	7331388159039	1
11590001	9L	7331388159008	1

KNOT LAQUER

Kvistlack - Knot laquer

Waterborne wood knot sealer which heavily reduces the risk of lignin rising to the surface when painting on wood indoors. Easy to handle and to apply.



- Wood knot sealer
- Easy to use



Art. no	Description	EAN	Amount/pack
40502	0,3L	7315070405024	3



LACQUER PAINT

Briljant 5/15/40/70 - Lacquer paint

Briljant is a very elegant premium lacquer that withstands everyday wear, remaining beautiful for a long time. Good viscosity that results in a smooth, hard and extremely wearable surface that can be washed. Suitable for woodwork, panels, furniture, mouldings, window frames and doors. *Gloss 5, 15, 40, 70.*



- PU-Polyurethane-acrylate
- Extremely wearable surface
- Good viscosity



Art. no	Description	EAN	Amount/pack
13300103	5 White 0,68L	7331388330025	5
13300302	5 White 2,7L	7331388330032	1
13300104	5 Base A 0,68L	7331388133091	5
13300303	5 Base A 2,7L	7331388133084	1
13393103	5 Base C 0,68L	7331388339325	5
13393302	5 Base C 2,7L	7331388339332	1
13400108	15 White 0,68L	7331388340048	5
13400308	15 White 2,7L	7331388340055	1
13400110	15 Base A 0,68L	7331388105791	5
13400310	15 Base A 2,7L	7331388105784	1
13493108	15 Base C 0,68L	7331388349348	5
13493307	15 Base C 2,7L	7331388349355	1
13500114	40 White 0,68L	7331388350054	5
13500312	40 White 2,7L	7331388350061	1
13500116	40 Base A 0,68L	7331388105777	5
13500314	40 Base A 2,7L	7331388105760	1
13501102	40 0502-Y 3L	7331388350115	1
13593109	40 Base C 0,68L	7331388359347	5
13593309	40 Base C 2,7L	7331388359354	1
17000103	70 White 0,68L	7331388700026	5
17000104	70 Base A 0,68L	7331388133077	5
17093103	70 Base C 0,68L	7331388709326	5

Brilliant is the best choice for new or repainting all wooden surfaces indoors.



TIPS AND ADVICE

- Remember to treat twigs with twig varnish
- For an extra fine result - invest in a high-quality brush.

ENAMEL PAINT

Mästar 15/40/70 - Lacquer paint

Durable acrylic enamel paint suitable for many different types of surfaces and substrates indoor. E.g. carpentries, furniture, doors, panels and trims. Excellent adhesion to all substrates and create a hard, sustainable and non-yellowing finish. Easy to apply, with a good levelling which minimize the risk for brush stripes in the surface. *Gloss 15, 40 and 70.*



- Hard and flexible surface
- Non yellowing



Art. no	Description	EAN	Amount/pack
13400802	15 White/Base A 0,45L	7331388340086	5
13400101	15 White/Base A 0,9L	7331388340017	5
13400301	15 White/Base A 2,7L	7331388340031	1
13493801	15 Base C 0,45L	7331388349386	5
13493101	15 Base C 0,9L	7331388349317	5
13493301	15 Base C 2,7L	7331388349331	1
13500802	40 White/Base A 0,45L	7331388350085	5
13500101	40 White/Base A 0,9L	7331388350016	5
13500302	40 White/Base A 2,7L	7331388350030	1
13593801	40 Base C 0,45L	7331388359385	5
13593101	40 Base C 0,9L	7331388359316	5
13593301	40 Base C 2,7L	7331388359330	1

Mästar Varm - Radiator paint

Durable acrylic enamel paint suitable for use on radiators and other metal parts indoors. It has good adhesion to all types of substrates, high coverage, and creates a final surface which can handle heat up to +80°C without yellowing. It is not suitable for electrical radiators. *Semi glossy, gloss 40.*



- High coverage
- Durable
- Non yellowing, even on hot surface



Art. no	Description	EAN	Amount/pack
13800101	White/Base 0,9L	7331388380013	5

ENAMEL PAINT

Effekt 15/30/80 - Lacquer paint

Heavy-duty, solvent based, uretan-alkyd enamel paint suitable for many different types of surfaces and substrates both in- and outdoor. E.g. floors, even for linoleum, carpentries, doors, panels and door-steps. It is also an excellent opaque enamel for wood boats above water line, and also for metal treatment. *Gloss 15, 30 or 80.*



- Easy to apply
- In- and outdoor
- Durable
- Washable



Art. no	Description	EAN	Amount/pack
12900101	15 White/Base A 0,9L	7331388290015	5
12900301	15 White/Base A 2,7L	7331388290039	1
12993101	15 Base C 0,9L	7331388299315	5
12993301	15 Base C 2,7L	7331388299339	1
17500102	30 White/Base A 0,9L	7331388750014	5
17500302	30 White/Base A 2,7L	7331388750038	1
17593102	30 Base C 0,9L	7331388759314	5
17593302	30 Base C 2,7L	7331388759338	1
17600103	80 White/Base A 0,9L	7331388760013	5
17600302	80 White/Base A 2,7L	7331388760037	1
17693102	80 Base C 0,9L	7331388769313	5
17693302	80 Base C 2,7L	7331388769337	1



ENAMEL BASE COAT

Snickerigrund Classic - Woodwork primer

Uretan-alkyd solvent based enamel base-coat for untreated or earlier treated surfaces of e.g. carpentries, panels, trims, furniture indoor. Also suitable for metal surfaces. Excellent adhesion, even on "difficult" substrates such as laminates, industrial treated surfaces etc.



- Excellent adhesion
- Sandable
- Easy to apply



Art. no	Description	EAN	Amount/pack
17400103	White 1L	7331388740015	5
17400302	White 3L	7331388740039	1

Snickerigrund Aqua - Woodwork primer

Acrylic-based enamel base-coat for untreated or earlier treated surfaces of e.g. carpentries, panels, trims, furniture indoor. Excellent adhesion even on "difficult" substrates such as laminates, industrial treated surfaces etc. Easy to apply with excellent levelling and good sandability.



- Excellent adhesion
- Sandable
- Easy to apply



Art. no	Description	EAN	Amount/pack
11000102	White 1L	7331388100017	5
11000302	White 3L	7331388100031	1

ADHESION PRIMER

Häftprimer Aqua - Adhesion primer

Alkyd-based, water borne adhesion primer and base-coat for all types of substrates as well as anti corrosion primer for metal surfaces. Both for in- and outdoor usage. Can be overpainted with both acrylic and alkyd paint material.



- Basecoat and adhesion primer
- Easy to apply
- Fast drying



Art. no	Description	EAN	Amount/pack
11100101	White 1L	7331388110016	5
11100301	White 3L	7331388110030	1

BOAT VARNISH

Solo 30/90 - Boat varnish

Semi-gloss and light-stable urethane alkyd-based clear lacquer. Produced for tough requirements that apply to lacquering of wooden boats above the waterline. *Gloss 30, 90.*



- Hard and flexible
- Multifunctional
- In- and outdoor



Art. no	Description	EAN	Amount/pack
17190101	30 Clear 0,9L	7331388719011	5
17190301	30 Clear 2,7L	7331388719035	1
17290103	90 Clear 0,9L	7331388729010	5
17290302	90 Clear 2,7L	7331388729034	1

FLOOR PAINT

Strong - Floor paint

Semi glossy, heavy-duty one component acrylic paint for all types of floors indoor. It is suitable for both wood- and concrete floors but is also a heavy-duty enamel for all types of indoor carpentries. Possible to tint in any colour. Semi glossy, 35.



- Durable
- Semi glossy
- Easy to apply



Art. no	Description	EAN	Amount/pack
17800101	White/Base A 0,9L	7331388780011	5
17800301	White/Base A 2,7L	7331388780035	1
17800001	White/Base A 9L	7331388780004	1
17893101	Base C 0,9L	7331388789311	5
17893301	Base C 2,7L	7331388789335	1

Dimension - Floor paint

Glossy, heavy-duty, solvent based, uretan-alkyd enamel paint suitable for floors made from many different materials, for example wood, concrete and even linoleum. Suitable both in- and outdoors and makes the surface both scratch resistant and water repellent. Glossy, 80.



- Water repellent
- Durable
- Glossy



Art. no	Description	EAN	Amount/pack
17300102	White/Base A 0,9L	7331388730016	5
17300302	White/Base A 2,7L	7331388730030	1
17300002	White/Base A 9L	7331388730009	1
17393102	Base C 0,9L	7331388739316	5
17393302	Base C 2,7L	7331388739330	1

Adhesives and fillers

An accurate and thoroughly preparatory work creates the conditions for a perfect final result.

WALL- AND CEILING FILLER

Wall- & ceiling filler

A premixed, waterbased allround filler suitable on cement, plaster-board, plaster, etc. Väggspackel LH Medium is especially suitable for filling taped joints. Pre-glue filled surfaces prior to wallpapering.



- High adhesion to most substrates
- Easy to use



Art. no	Description	EAN	Amount/pack
11507801	Light grey 400ml	7331388150784	12
11504601	Light grey 3L	7331388150463	1
11504701	Light grey 10L	7331388150470	1

Joint filler

A premixed, waterbased allround filler specially suitable for taped joints. It is also suitable for indoor walls and ceilings. Ground surfaces should be dusted prior to treatments such as painting and wallpapering. Pre-glue filled surfaces prior to wallpapering.



- Taped joints-filling with paper-strip
- Easy to apply and sand



Art. no	Description	EAN	Amount/pack
11505801	Joint filler 10L	7331388150586	1

ROLL FILLER

Roller filler medium

Water borne, easy-to-use roller filler. Suitable for indoor filling and repair work with highly set requirements for filling capacity. The filler is suitable for application with a wide roller, spray gun and for mechanical filling of gypsum board joints.



- Quickly applied
- Good adhesion to concrete, plaster and gypsum
- Easy-to-use



Art. no	Description	EAN	Amount/pack
11508201	Light grey 10L	7331388150807	1

Roller filler coarse

Water borne, easy-to-use and sand roller filler. Excellent for indoor filling and repair work with highly set requirements for filling capacity. The fillers properties makes it especially suitable for spraying.



- High filling capacity
- Good adhesion to concrete, plaster and gypsum
- Easy-to-use

Art. no	Description	EAN	Amount/pack
11508101	Light grey 10L	7331388150814	1

WOOD FILLER

Woodwork filler

A premixed, waterbased, very finely graded and easy-to-sand -filler with good filling capacity. Excellent for use on wood and indoor woodwork. The filler has good wet-edge time and is therefore suitable for larger areas, e.g. when skimming doorleaves.



- Good filling capacity
- High adhesion to wood
- Easy to sand



Art. no	Description	EAN	Amount/pack
11520701	White 200ml	7331388152078	12

ACRYLIC SEALANT

Latex sealant

Acrylic-based waterborne sealant with good adhesion to most building materials i.e. concrete, bricks, plaster, tiles, gypsum boards, painted and lacquered surfaces. Suitable both in- and outdoor.



- Good adhesion
- Can be overpainted



Art. no	Description	EAN	Amount/pack
11541601	Latexfog 300ml	7331388154164	12

ADHESIVE

Wallpaper Adhesive

A ready-to-use adhesive for paper wallpaper and vinyl- and acrylic wallpaper with a rear side of paper.



- Good adhesion
- Ready-to-use
- Easy to apply



Art. no	Description	EAN	Amount/pack
11410101	5L	7331388141010	1

Dispersion adhesive

A ready-to-use adhesive for glass fiber, non woven and vinyl wallpaper with a rear side of paper.



- Good adhesion
- Ready-to-use
- Easy to apply



Art. no	Description	EAN	Amount/pack
11410601	5L	7331388141041	1
11410701	15L	7331388141058	1

Titan

Nordic strength

- ✓ Self-cleaning
- ✓ Protects against algae and fungi
- ✓ Highest UV-protection
- ✓ Highest gloss and colour stability
- ✓ High coverage



WARRANTY* UP TO 15 YEARS

Products Titan and Storm are labelled with the Warranty-symbol. The warranty is valid for a quality which lasts up to 15 years on wooden facades. For best result and a valid warranty, the Colorex 3-step-programme should be followed.

Preparation: The substrate must be clean, dry and firm. Scrape off loose paint and wash previously painted surfaces with facade cleaner. Disinfect mold-infested surfaces. Allow to dry completely.

1 **Priming 1:** Coat untreated/sawed/planned panel one time with Colorex Grundolja Aqua (2 coats for bare end wood.) On previously painted panels, clean scraped surfaces, surfaces with cracks and untreated end wood must be coated one time.

2 **Primer 2:** Then prime the entire surface with one layer of Colorex Utegrund Aqua. Be especially careful when priming end timbers and timber joints.

3 **Painting:** Paint two coats of Colorex Titan or Storm and let dry in between.



FACADE PAINT WOOD

Titan - Opaque woodstain

A premium opaque facade paint for wood facades. It is a new, totally unique hybrid combination of polyurethane-alkyd and acrylic resins. The paint is dirt-repellant in a way that makes it self-cleaning and the result is a surface without any growth of fungi or algae. It has a very hard and resistant surface which at the same time also is very flexible. A perfect choice for the tough Scandinavian climate, with a minimum of water-absorbance. It can be used on all types of wood-surfaces outdoor, both new wood, or on surfaces earlier treated with alkyd-acrylic- or hybrid-paint. *Semi glossy, gloss 45.*



Art. no	Description	EAN	Amount/pack
15401104	White 0,9L	7331388540189	5
15401304	White 2,7L	7331388540172	1
15401004	White 9L	7331388540165	1
15400102	Base A 0,9L	7331388540011	5
15400302	Base A 2,7L	7331388540035	1
15400002	Base A 9L	7331388540004	1
15493102	Base C 0,9L	7331388549311	5
15493305	Base C 2,7L	7331388549335	1
15493005	Base C 9L	7331388549304	1
15420102	Cottage Red 0,9L	7331388542015	5
15420303	Cottage Red 2,7L	7331388542039	1
15420003	Cottage Red 9L	7331388542008	1

**Fits perfectly
Titan Door and window
paint page 14**

Storm - Outdoor acrylate

Colour-resistant, semi matt acrylic paint for painting outdoor wood facades and galvanised, zinc-plated or previously painted sheet metal surfaces. Provides superior weather- and UV protection. *Semi matt, gloss 20.*



- Extremely weather resistant
- Protects against algae and fungi
- Highest colour- and gloss stability



Art. no	Description	EAN	Amount/pack
19600102	White/Base A 0,9L	7331388960017	5
19600303	White/Base A 2,7L	7331388960031	1
19600003	White/Base A 9L	7331388960000	1
19693102	Base C 0,9L	7331388969317	5
19693302	Base C 2,7L	7331388969331	1
19693002	Base C 9L	7331388969300	1

TIPS AND ADVICE

- Paint a color sample with the chosen color and hold it against the wall before the whole house is painted.
- Water-borne acrylate paint can be painted on wood that has previously been painted with oil-based paint, but not the other way around.
- Make sure the wood is completely dry before painting. At the end of the painting season, the dew stays longer in the morning and comes earlier in the afternoon.
- Do not paint too late in the evening if the humidity is high.

FACADE WOOD PAINT

Stabil - Opaque woodstain

Dirt repellent and semi glossy opaque alkyd paint especially for outdoor wood surfaces exposed to rough weather conditions. Use it on new wood or wood which has earlier been treated with oil- or alkyd-based products. Both horizontal and vertical surfaces. It is also a good choice for metal surfaces. *Semi glossy, gloss 35.*



- Highest weather resistance
- Dirt repellent
- Protects against mould and algae



Art. no	Description	EAN	Amount/pack
16300101	White/Base A 0,9L	7331388630019	5
16300301	White/Base A 2,7L	7331388630033	1
16300001	White/Base A 9L	7331388630002	1
16393101	Base C 0,9L	7331388639319	5
16393301	Base C 2,7L	7331388639333	1
16393001	Base C 9L	7331388639302	1

MASONRY PAINT

Betopaint - Plaster & concrete paint

Fully matt waterborne styrene-acrylic opaque paint for all types of mineral surfaces out- and indoor. E.g. plastered facades, bricks, foundation wall etc. It is extremely diffusion open and works well on all types of moisture-strained surfaces both out- and indoor. *Fully matt, gloss 2.*



- High coverage
- Diffusion open
- Protect against algae and fungi



Art. no	Description	EAN	Amount/pack
19200101	White/Base A 0,9L	7331388920011	5
19200303	White/Base A 2,7L	7331388920035	1
19200003	White/Base A 9L	7331388920004	1
19293101	Base C 0,9L	7331388929311	5
19293301	Base C 2,7L	7331388929335	1
19293001	Base C 9L	7331388929304	1



DOOR AND WINDOW PAINT

Titan Door and window paint

Semi-gloss acrylate-based window paint for painting windows and woodwork. The product is easy to apply and is suitable for both indoor and outdoor use.



- Waterborne
- High coverage
- Quickly non-stick



Art. no	Description	EAN	Amount/pack
16900109	White 0,9L	7331388169090	5
16900308	White 2,7L	7331388169083	1
16901101	Base A 0,9L	7331388169076	5
16901301	Base A 2,7L	7331388169069	1
16993105	Base C 0,9L	7331388169991	5
16993305	Base C 2,7L	7331388169984	1

TIPS AND ADVICE

- The substrate must be clean, dry and firm. Remove loose paint. Wash previously painted surfaces with facade cleaner and disinfect mold-infested surfaces.
- Prime end timbers and timber joints with Colorex Primer Oil Aqua. Prime new wood with Colorex Utegrund Aqua or Colorex Utegrund 2-in-1.
- Paint 2 times and let dry in between. Do not paint in prolonged cold or damp weather, nor on hot or sunlit surfaces.
- Do not pour paint down the drain. Instead, submit the leftover paint and tools you used for your local environmental station

Primer

A thorough and careful preparatory work provides the conditions for a perfect end result.

PRIMING OIL & UNDERCOAT SEALER WOOD

Outdoor Primer 2-in-1

Facade base color for new and repainting wood outdoors.. Works as a priming coat in the Colorex painting system: use the product prior to painting with Colorex Titan, Storm or Solid. Outdoor Primer 2-in-1 replaces the traditional 2-step priming system Primer Oil Aqua and Outdoor Primer Aqua.



- Wood-protective
- High adhesion
- Water repellent



Art. no	Description	EAN	Amount/pack
14813101	Utegrund 2-in-1 1L	7331388481314	5
14813301	Utegrund 2-in-1 3L	7331388481321	1
14813001	Utegrund 2-in-1 10L	7331388481307	1



PRIMING OIL & UNDERCOAT SEALER WOOD

Primer Oil Aqua

Penetrating clear priming oil for new- and repainting of outdoor wood surfaces. The first step in a system painting on wood. It prevents from cracks and increases adhesion. In combination with Utegrund Aqua and suitable finish paint a longlasting durable surface protection is achieved.



- Penetrating
- Wood protecting
- Water repellent



Art. no	Description	EAN	Amount/pack
16890103	Clear 1L	7331388689017	5
16890303	Clear 3L	7331388689031	1
16890001	Clear 10L	7331388689000	1

Outdoor Primer Aqua

Full matt, water borne alkyd-based opaque base coat for outdoor wood. It is suitable as base coat before overpainting with any type of finish coat. It is suitable for both new wood and earlier treated and/or worn surfaces.



- Good adhesion
- High coverage
- Tintable



Art. no	Description	EAN	Amount/pack
14800102	White 1L	7331388480010	5
14800302	White 3L	7331388480034	1
14800001	White 10L	7331388480003	1

PRIMING OIL & UNDERCOAT SEALER WOOD

Primer Oil Classic

Penetrating, solvent based, clear priming oil, partly based on Chinese oil, for new- and repainting of outdoor wood surfaces. The first step in a system painting on wood. It prevents from cracks and increases adhesion. In combination with Utegrund Classic and suitable finish paint a longlasting, durable surface protection is achieved.



- Penetrating
- Wood protecting
- Water repellent



Art. no	Description	EAN	Amount/pack
14990103	Clear 1L	7331388499012	5
14990302	Clear 3L	7331388499036	1
14990002	Clear 10L	7331388499005	1

Outdoor Primer Classic

Full matt, solvent based traditional alkyd-based opaque base coat for outdoor wood. It penetrates well into the substrate and provides excellent adhesion. It works together with any type of finish coat. It is suitable for both new wood and earlier treated and/or worn surfaces.



- Good adhesion
- High coverage
- Tintable



Art. no	Description	EAN	Amount/pack
15800103	White 1L	7331388580017	5
15800302	White 3L	7331388580031	1
15800002	White 10L	7331388580000	1
15893102	Base C 0,9L	7331388589317	5
15893302	Base C 2,7L	7331388589331	1
15893002	Base C 9L	7331388589300	1

PRIMER

Betoprime - Mineral primer

A chemical reactive primer which react with the minerals in the treated substrate. The result is a total integration with the groundwork and a total diffusion open result. It also shrinks the capillars which helps to evaporate moisture out of the ground work. Use it on e.g. plastered facades, bricks, foundation wall etc. Use it in system together with Betopaint or Betocryl and the result is a diffusion open surface, with excellent adhesion and water repellent. NB. Betoprime etches glass. Fully matt, gloss 2



- Excellent adhesion
- Water repellent
- Fast drying



Art. no	Description	EAN	Amount/pack
19190103	Clear 1L	7331388919015	12
19190503	Clear 5L	7331388919053	1
19190201	Clear 20L	7331388919022	1

TIPS AND ADVICE...

- Clean the substrate to be painted. Use algae- and fungi cleaning agent on surfaces affected with algae and fungi.
- Earlier unpainted and strongly absorbing substrate must first be coated with a suitable base coat.
- "Test-paint" a small surface before starting to paint to make sure that the quality and colour of the paint is as expected.
- Do not paint too early or too late in the day, especially in autumn, as the dew then can be very intense. Furthermore, never paint in direct sunlight.
- For best result it is always better to apply several thin layers instead of few thick layers.

PRIMER IRON/METAL

Metal Primer Classic

Classic rustprotective uretan-alkyd primer for iron- and steel substrates. Also suitable for light weight metal and galvanized metal outdoor.



- Excellent rust protection
- Easy to apply



Art. no	Description
11102103	Grey 1L
11102301	Grey 3L

EAN	Amount/pack
7331388110214	5
7331388110238	1

LINE MARKING PAINT

Line marking paint

A fully matt, complete coverage acrylate specially produced for marking on grass. Provides high-grade coated lines that will not damage the grass.



- Non-reflective lines



Art. no	Description
11303002	White 10L

EAN	Amount/pack
7331388130304	1

OTHER PRODUCTS

Color sample - interior



Art. no	Description
10600808	Base A 0,45L
10693801	Base C 0,45L

EAN	Amount/pack
7331388060083	5
7331388069383	5

Color sample - exterior



Art. no	Description
19600009	Base A 0,45L
19693007	Base C 0,45L

EAN	Amount/pack
7331388960024	5
7331388969324	5



Wood Care

protects and preserves wooden deck, garden furniture and other outdoor wood details.

WOOD OIL

Gard V Wood oil

Wood preserving and deep penetrating waterborne wood-oil for untreated- or as maintenance on earlier oil treated surfaces. Perfect also on vacuum- or pressure impregnated wood. Suitable on all types of wood surfaces outdoor.



- Penetrating
- Water repellent
- Wood preserving
- Protects against mould and fungi



Art. no	Description	EAN	Amount/pack
14190301	Clear 3L	7331388419034	1

Klassisk 30 Wood oil

Traditional wood preserving and deep penetrating solvent based wood-oil meant for untreated- or as maintenance on earlier oil treated surfaces. Perfect also on vacuum- or pressure impregnated wood. Protects the surface from dehydration and cracking. Suitable on all types of outdoor wood surfaces.



- Penetrating
- Water repellent
- Wood preserving
- Protects against mould and fungi



Art. no	Description	EAN	Amount/pack
15190302	Clear 3L	7331388519031	1

CHINESE WOOD OIL

Orient Chinese Wood Oil

Premium wood oil based on Chinese oil with extremely deep penetrating properties. The best oil for water protection of all types of wood out- and indoor. It achieves also an excellent result on fat and hard wood like teak and mahogany. Suitable for all types of wood that need a high class oil-treatment, including wood surfaces above waterline in boats and yachts.



- Deep penetrating
- Water repellent
- Dust binding
- Brings out the shine of tiles and bricks
- Protects against mould and fungi



Art. no	Description	EAN	Amount/pack
14590302	Clear 3L	7331388459030	1
14590001	Clear 10L	7331388459009	1

REMEMBER...

- Never apply oil- or woodstain systems in direct sunlight.
- Vacuum and/or pressure impregnated wood must dry one season before it can be treated with oil or woodstain paint.
- When working with woodstain, apply one board at a time.
- All excess oil- and woodstain material shall be wiped off to minimize the risk of creating a film layer.
- Rags which have been used for oil based products can self-ignite and has to be destroyed in a safe way.

WOODSTAIN

Prima V Decking stain

Clear alkyd-based wood stain for untreated- or oil impregnated wood, both moulded and sawn, out- or indoor. Also suitable for vacuum or pressure impregnated wood. It has a very high UV-resistance and prevent the wood from getting dry and crack. Use it on all types of outdoor wood. Prima can be tinted into glaze colours.



- Can be nuanced
- High UV-resistant
- Water resistance
- Protect against mould and fungi



Art. no	Description	EAN	Amount/pack
14390301	Clear 2,7L	7331388439032	1

Proper Decking stain

Clear alkyd- and china oil based woodstain for untreated- or earlier oil impregnated wood, both moulded and sawn, out- or indoor. Also suitable for vacuum or pressure impregnated wood. It has a very high UV-resistance, penetration and water durability. It prevent wood from getting dry and crack. Proper can be tinted into glaze colours. Best choice for terraces, lumber and fat, hard wood like teak.



- High UV-resistant
- Water resistant
- Protects against mould and fungi
- Wood protecting



Art. no	Description	EAN	Amount/pack
15790301	Clear 2,7L	7331388579035	1
15790001	Clear 9L	7331388579004	1

WOODSTAIN

Fokus V Woodstain

Semi-matt transparent water-dilutable alkyd oil and acrylic combination for previously untreated or oiled outdoor wood surfaces. Especially suitable for treating log homes. The product is highly water-resistant, and retards the negative impacts of moisture and UV light on timber. Ready to use; should not be thinned. Should not be used on horizontal surfaces such as terraces.



- Can be nuanced
- Water resistant
- Highlights the wood structure
- Protects against mould and algae



Art. no	Description	EAN	Amount/pack
14790302	Clear 2,7L	7331388479038	1
14790002	Clear 9,0L	7331388479007	1

Lyster Woodstain

Deeply penetrating alkyd-based woodstain for all types of outdoor wood surfaces. Also suitable for log houses. The special mixture of high content of fat oils enables a very deep luster on the surface. For best UV-resistance it shall be tinted into suitable glaze tone.



- Wood protecting
- Highlights the wood structure
- Protect against mould and algae
- Deeply penetrating



Art. no	Description	EAN	Amount/pack
15390103	Clear 0,9L	7331388539015	5
15390303	Clear 2,7L	7331388539039	1
15390003	Clear 9,0L	7331388539008	1

OTHER

Copperol Wood coating agent

Deeply penetrating linseed oil-based wood-protective for outdoor wood. Suitable as a treatment on wood which later will not be accessible for further maintenance, like beams and cross bars in building constructions.



- Deep penetrating
- Mould protection
- Water resistant



Art. no	Description	EAN	Amount/pack
15035103	Brown 1L	7331388503511	5
15035301	Brown 3L	7331388503535	1



BRUSHES

Art. no	Description	EAN	Amount/pack
19710002	Lacquer brush Royal Soft 35mm.	7391867265033	10
19710003	Lacquer brush Royal Soft 50mm.	7391867265057	10
19710004	Lacquer brush Royal Soft 70mm.	7391867265071	10
19710005	Angle brush kort Royal Soft 35mm.	7391867268034	10
19710006	Angle brush kort Royal Soft 50mm.	7391867268058	10
19710017	Angle brush Lång/tjock Royal Soft 50mm.	7391867263053	10
19710018	Angle brush Lång/tjock Royal Soft 70mm.	7391867263077	10
19715901	Lacquer brush Comfort 2-k 30mm.	7391867580037	10
19716001	Lacquer brush Comfort 2-k 50mm.	7391867580051	10
19716101	Lacquer brush Comfort 2-k 70mm.	7391867580075	10
19715601	Lacquer brush Prima 30mm	7391867550030	10
19715701	Lacquer brush Prima 50mm	7391867550054	10
19715801	Lacquer brush Prima 70mm	7391867550078	10
19712801	Lacquer brush Classic 30mm syntet	7391867103038	10
19712901	Lacquer brush Classic 50mm syntet	7391867103052	10
19713001	Lacquer brush Classic 70mm syntet	7391867103076	10
19710007	Facade brush Vinklad Comfort 2K 70mm.	7391867780079	10
19710008	Facade brush Vinklad Comfort 2K 100mm.	7391867780109	10
19710009	Facade brush Vinklad Comfort 2K 120mm.	7391867780123	10
19720101	Facade brush Prima 70mm	7391867925074	10
19720201	Facade brush Prima 100mm	7391867925104	10
19720301	Facade brush Prima 120mm	7391867925128	10
19715401	Fasadp. Ergo-Flex 100, syntet	7391867500103	10
19715501	Fasadp. Ergo-Flex 120, syntet	7391867500127	10
19716701	Rödfärgsp. Ergo-Flex 120	7391867601206	10
19713401	Woodstain/Wood oil brush 70, syntet	7391867171075	10
19713501	Woodstain/Wood oil brush 100, syntet	7391867171105	10
19716201	Moddler wooden shaft 15mm. Natur	7391867600018	12
19716301	Moddler wooden shaft 25mm. Natur	7391867600025	12
19716401	Moddler wooden shaft 35mm. Natur	7391867600032	12
19716501	Moddler wooden shaft 50mm. Natur	7391867600056	12
19716601	Moddler wooden shaft 70mm. Natur	7391867600070	12
19720401	Element brush 950 35mm. Natur	7391867950038	10
19720501	Element brush 950 50mm. Natur	7391867950052	10
19720601	Element brush 950 70mm. Natur	7391867950076	10
19720701	Element brush 970 Jumbo 50. Mixedb.	7391867970050	5
19720801	Element brush 970 Jumbo 70. Mixedb.	7391867970074	5
19713801	Round brush 190 25. Mixed brush	7391867900255	10
19713901	Round brush 190 30. Mixed brush	7391867900309	10
19714001	Round brush 190 40. Mixed brush	7391867900408	10
19710010	Brush set Prima 4-pack	7391867107906	25
19710011	Brush set Window	7391867106008	50
19705001	Brush set Moddlare 5-pack	7391867101034	50
19705101	Brush set 3-pack. 30,50,70mm	7391867103304	30
19705401	Brush set 3-pack Exterior	7391867505436	50
19705501	Brush set Comfort 2-k 3-pack	7391867582406	25
19705201	Brush set Woodoil 2-pack	7391867171402	50



ROLLERS, ROLLER HANGERS AND COLOR TRAYS

Art. no	Description	EAN	Amount/pack
19710012	Lax roller 180mm	7391867505160	5
19710013	Premium roller 180mm	7391867505603	5
19711401	Polymex roller 180mm	7391867505115	5
19711801	Super smoothroller 180mm	7391867505214	5
19710014	Super smooth miniroller 100mm	7391867507065	10
19710015	Lax miniroller 100mm	7391867507089	10
19710016	Micro miniroller 100mm	7391867507300	10
19712501	Polymex miniroller 100mm	7391867507805	10
19712601	Velour Elementr. 100mm	7391867507904	10
19712301	Foam Elementr. 100mm	7391867507010	10
19711201	Roller hanger 180mm	7391867505023	10
19710019	Roller with roller hanger 180mm	4001438034601	50
19711001	Elementroller hanger short	7391867504958	10
19711101	Elementroller hanger tall	7391867504965	10
19711902	Color tray 100mm	7391867505877	12
19711901	Color tray 180mm	7391867505801	12
19714602	Color tray insert 100mm	7391867290066	50
19714601	Color tray insert 180mm	7391867290059	50
19712201	Rollerset 180mm	7391867050608	40
19712701	Miniroller set Supersmooth 100mm+	7391867101522	25
19712101	Miniroller set Polymex 100mm	7391867505979	25



TOOLS

Art. no	Description	EAN	Amount/pack
19712001	Extension shaft Teleskop	7391867505832	10
19710001	Wide putty wood 100mm	7391867503005	10
19710101	Wide putty wood 150mm	7391867500318	10
19710201	Wide putty wood 200mm	7391867500325	10
19710301	The Japanese putty 3-pack	4015878500466	10
19714901	Brytbladskniv 9mm	4015878506215	60
19715001	Break blade knife 18mm	4015878506239	48
19714701	Blade t break blade knife 9mm. 10-p	4015878982187	20
19714801	Blade t break blade knife 18mm. 10-p	4015878534423	20
19710601	Wallpaper knife	7318910501115	10
19714301	Professional cutting blade 20st/packaging	7393693200202	10
19710901	Putty knife	7318910501603	10
19710401	Grinding tool Articulated	7318910500804	5
19713201	Steel brush Wooden handle 2-row.	4013349709868	12
19713301	Steel brush Wooden handle 4-row.	4013349709943	12
19714101	Window scraper	7391867198300	12
19714201	Blade for window scraper. 10 st/pack.	7391867198409	12
19714401	Paint scraper Pro 50mm	7391867250053	6
19714501	Blade t Paint scraper Pro 50mm. 2-p	7391867260052	6
19713101	Cartridge gun	4015878501920	5
19710501	Wallpaper ruler Masonite	7318910500927	5
19718601	Grinding block cork	7391867720112	10



PIPE STICKS/CAN OPENERS

Art. no	Description	Amount/pack
15980501	Colorex pipe sticks 500mm	1
15980601	Colorex pipe sticks 300mm	1
15990601	Colorex can openers	1

WALLPAPER - WALLCOVERING

Art. no	Description	EAN	Amount/pack
9753501	Fiberglass fabric low structure* 25m x 1m	7332726975359	9
9753601	Painter felt 45g* 25m x 1m	7332726975366	9
9753701	Cellulose Polyester Wall Liner 150g* 25m x 1m	7332726975373	9

MASKING

Art. no	Description	EAN	Amount/pack
11612	Masking tape GreenCore 19mmx50m Vit	9002588452432	48
11614	Masking tape GreenCore 25mmx50m Vit	9002588452456	36
11615	Masking tape GreenCore 38mmx50m Vit	9002588452470	24
11616	Masking tape GreenCore 50mmx50m Vit	9002588452494	24
9753201	Plastic cover 7my 4 x 5 m	9002588458007	20
9754101	Masking paper Taiga 135gr 0,75m x 20m	9002588459684	5
9754001	Masking paper Taiga 135 gr 1m x 30 m	9002588459752	5
9754105	Cover felt Tenda 1x10m	9002588459806	1
19705301	Fiberglass strip self-adhesive 48mm x 20m	7332300405579	20
9754110	Putty strip Paper 50mm x 75m	9002588455303	20



EMPTY PACKAGING

Art. no	Description	Amount/pack
900230	Plastic can 3L	1
900496	Lid to Plastic can 3L	1
900291	Plastic can 10L	1
900419	Lid to Plastic can 10L	1
900229	Tin 1L	1
900136	Lid to Tin 1L	1
900014	Tin 3L	1
900466	Lid to Tin 3L	1
8080	Tin 5L	1
8021	Lid to Tin 5L	1
900018	Tin 10L	1
900127	Lid to Tin 10L	1



COLORANTS

Art. no	Description	EAN	Amount/pack
19913501	Chromaflor Colorant W 1L	7332726135012	1
19913503	Chromaflor Colorant sY 1L	7332726135036	1
19913504	Chromaflor Colorant oY 1L	7332726135043	1
19913517	Chromaflor Colorant wY 1L	7332726135173	1
19913502	Chromaflor Colorant hY 1L	7332726135029	1
19913518	Chromaflor Colorant sR 1L	7332726135180	1
19913508	Chromaflor Colorant oR 1L	7332726135081	1
19913506	Chromaflor Colorant wR 1L	7332726135067	1
19913507	Chromaflor Colorant hR 1L	7332726135074	1
19913514	Chromaflor Colorant oU 1L	7332726135142	1
19913513	Chromaflor Colorant G 1L	7332726135135	1
19913510	Chromaflor Colorant V 1L	7332726135104	1
19913505	Chromaflor Colorant O 1L	7332726135050	1
19913509	Chromaflor Colorant M 1L	7332726135098	1
19913512	Chromaflor Colorant sB 1L	7332726135128	1
19913511	Chromaflor Colorant wB 1L	7332726135111	1
19913515	Chromaflor Colorant wS 1L	7332726135159	1
19913516	Chromaflor Colorant sS 1L	7332726135166	1



As a retailer, you have the opportunity to take part in sales exposure such as:

- Wall sections - (depending on range)
- Painted color samples/chips
- Painted product samples
- Brochure material
- Ellipses/signs/pallet sweep/pallet hood
- Image bank at colorex.se

Contact your seller for more information.



Be comfortable!

Nordic climate is tough. Therefore, at certain intervals, you have to paint and paint about the woodwork outdoors. Same thing with unpainted wood such as terraces, outdoor furniture and other: oiled to begin with and re-oiled over time.

It is demanding work, but one tip is to choose real facade paint and wood oil good quality because it protects better and lasts longer.

If you are comfortable, choose Colorex because then you don't paint as often. And so you get both high quality and a good price in the same jar.

Clever, isn't it!



Colorex

Nordic quality since 1955

Colorex is a high-quality paint and wood care brand specially developed and tested for Nordic conditions. All color products are manufactured in Sweden.

Welcome to Colorex – Nordic quality since 1955.

+ 46 (0)320 189 00
info@hagmansnordic.com

colorex.se



7 315070 993071

SP9307EN 2304